

(PRELIMINARY)

PLANTING KEY FOR PLANTING ARRANGEMENT IN THE ARBORETUM

STANFORD UNIVERSITY
1923

Block	Group No.		<u>Family ROSACEAE</u>
17	1	Raphiolepis	ovata
	2	"	japonica
	3	"	indica
	4		
	5	Amygdalus	alba
		"	communis
		"	" flora pleno
		"	fructicosa
		"	la gnuedoc
		"	non pariel
		"	purpurea
	6	Cerasus	ranunculifolia
		"	persicaefolia
		"	avium
		"	" albaplena
		"	japonica pendula
		"	Napoleon Bigareau
		"	padus
		"	pendula
		"	serrulata
		"	Sieboldi flora plena
		"	tartarian
	7	Pyracantha	yunanensis
	8	Cotoneaster	horizontalis
	9		
	10	Prunus persica	
		" "	flora plena
	11		
	12	Spiraea prunifolia	
		"	Reevesiana
	13	Spiraea Vanhouttei	
		"	Robusta
		To this group: Cercocarpus panifolius	<i>parifolius</i>
		"	acuminata

14. *Prunus caroliniana*
15. *Prunus persica*
16. *Spiraea opulifolia*
17. " *Thunbergii*
18. " *Nobleana*
" *Bumalda (Anthony Waterer)*

Block
16. 19.
20.
21.
22.
23. *Prunus pissardi* Var. *atropurpurea*
" " *Vesuvius*
24. *Spiraea Aruncus sylvester*
25. " " *ariefolia*
26. *Cotoneaster pannosa*
27. *Cotoneaster franchetti*
28. *Photinia fructo lutea & japonica*
29. *Cotoneaster heroviana*
30. *Spiraea callosa*
" *atrosanguinea*
" *semperflorens*
31.
32.
33. *Spiraea Douglasii*
34. *Pyracantha coccinea*
35. *Cotoneaster thymifolia*
36. " *buxifolia*
37. *Cydonia japonica* 32 Varieties
" *vulgaris* and flowering varieties
" *manlia*
" *rosea*
" *umbelllicata*

- 38 Pyracantha
39 Prunus lusitanica
40 Cotoneaster frigida
41 Crataegus rubra splendens
42 Cydonias in variety
43 Cotoneaster microphylla
44 " dwarf
45 Cydonias in variety
46
47 Prunus Oregoniana ("Oregon cheny") ?
evergreen, large leaves
48 Pyracantha coccinea lalandii
49 Cotoneaster dwarf
50
51
52
53
54
55 Magnolia grandiflora
56 Lyrothamnus floribunda asplenifolia
57 Magnolia deciduous varieties:
58
59 Photina serrulata, arbutifolia, glabra.
60
61
62
63
64 Prunus laurocerasus in variety latifolia, rotundi-
folia

- 65
66
67
68
69
70
71
72
73
74. *Prunus laurocerasus* in variety *camelliaefolia*
75.
76. *Prunus ilicifolia*
77. " *integrifolia*
78. *Cotoneaster applanata*
79.
80.
81. *Sorbus aucuparia* Var.
82.
83. *Cotoneaster accuminata*
84. *Heteromeles arbutifolia*
85.
86. *Cotoneaster nepalensis*
87.
88. *Cotoneaster simonsii*
89.
90.

- 91 *Crateagus coccinea* *C. rubra*
92
93 *Crateagus monogyna* Pauli & Cr. *cordata*
94
95
96
97
98
99
100 *Quillaja saponaria*
101
102
103 *Crateagus oxyanthus*
 " " *alba plena*
104
105
106
107
108
109
110
111
112
113
114
115

- 116 *Spiraea bumalda*
117 *Spiraea vanhoutti*
118 " *prunifolia*
119
Block
18 120 *Cotoneaster horizontalis*
121
122
123
124
125
126
127 *Prunus americana*
128
129
130 very dwarf varieties
131
132
133
134
135
136
137 *Prunus domestica* in variety
138
139
140

- 141
142 *Prunus mume*.
143
144
145
146
147
148
Block
149
19. 150
151 *Kerria japonica*
 " *pleno*
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
- This may be used
as an overflow area
for plants of the
Rosaceae group.
To be devoted mostly
to small herbaceous
and low shrubs to be
planted as a ground
cover along the
walks

- 169
- 170
- 171
- 172
- 173
- 174
- 175
- 176 Pyrus and malus species
- 177
- 178 Prunus trilobe.
- 179
- 180
- 181
- 182
- 183
- 184
- 185
- 186
- 187 Exochardia grandiflora
- 188
- 189 Pyrus Kaido, Betchel's double fl.
- 190
- 191
- 192
- 193
- 194

195

196

197

198

199

Block
20

200 to 230

Overflow area
for
Rosaceae

Proteales

Fam: Proteaceae

Grevilleas

230 to 260

To include the grevilleas, Hakeas and Banksia grouped according to height following the outlines of the plan. This group also includes Leucadendron argenteum and Macadamia ternifolia, two valuable trees as ornamentals.

Rhamales

Fam: Rhamnaceae

" Vitaceae (vines)

Block

21 261 to 271

To include Ceanothus, Rhamnus and Colletia grouped according to height.

Blocks
13 & 14

Umbelliflorae

Fam. Araliaceae to be used in shaded section around tomb. Aralia under oaks with Fatsia and Aucuba in present location.

Fam. Cornaceae to be planted between Cactus garden and Museum area between existing manzanita and in shaded section near nursery.

Cornus nuttalii

Cornus alternifolia

" florida

Garrya elliptica

" capitata

" fremonti

" sanguinea

" pallida

" paucinveras

" buxifolia

" alba siberica

Aucuba japonica green & variegata

Block
21

Pittosporaceae

Individual plants in the different varieties vary widely, so a collection of the variation may be kept within the collection of species.

- 300
301 Annuals belonging to Pittosporum family
302 *Pittosporum nigricans* (*tenuifolium*)
303 " *tobira*
" " *variegated*
304 " *crassifolium*
305 " *eugenioides*
306 "
307 " *erioloma*
308 " *heterophyllum*
309 " *ralphii*
310
311 *Pittosporum phillyraeoides*
312 " *buchananii*
313 "
314
315 *Solliya heterophylla*
316 *Pittosporum rhomboidifolium*
317 " *tobira green*
318
319
320

321

322 Pittosporum phillyraeoides

323 " undulatum

324 "

325 "

326 " revolutum.

Block
22

SAXAFRAGE FAMILY

- 340
341. *Escallonia Philipiana*
- 342.
343. *Escallonia leucantha*
344. " *organensis*
- " *macrantha*
- 345.
- 346.
- 347.
348. *Philadelphus coronarius*
349. *Ribes alpinum*
- " *capensis*
350. *Philadelphus Gordonianus*
- " *grandiflorus*
351. " " *laxus*
- " *pekinensis*
352. *Ribes rubrum*
- " *san guineum*
- 353.
354. *Philadelphus sempervirens*
- " *primulae florus*
- " *salicifolius*
355. *Ribes speciosum*
- 356.
- 357.
- Saxifrage
and
Typhaceae

- 358
- 359
- 360 *Escallonia berteriana*
- 361
- 362 *Carpenteria californica*
- 363 *Escallonia rubra* (Large group)
- 364 " *rosea*
- 365 " *Montevidensis*
- " *pulverulenta* and other white flowering varieties
- 366 *Hydrangea paniculata grandiflora*
- " *petiolaris maxime*
- " *ramulus coccinea*
- " *stellata rubra*
- " *involucrata*
- 367 *Hydrangea* Improved "French" varieties over 50 varieties
- 368 *Hydrangea hortensis* double and single flowering
- " " variegated
- " " *nigra*
- Saxifrage "St. Patrick's Cabbage".
- 369
- 370
- 371
- 372
- 373
- 374
- 375
- 376
- 377
- 378

- 379
- 380 Hydrangea hortensis group (See Number 368)
- 381 Collection of Saxifrage in all varieties. Over 100
varieties.
Huchera to be used under redwoods near Main Drive.
- 382
- 383 Deutzia acabra crenata flora plena
" " fortunii
- 384 " gracilis
- 385
- 386
- 387
- 388
- 389
- 390
- 391
- 392
- 393
- 394
- 395
- 396
- 397
- 398
- 399

Order: ROSALES Fam: Fabaceae or Leguminosae

(See also Groups 685 to 710 in Blocks 26 and 27.)

Groups marked "T", "M", or "L" after the number indicate: Acacia, tall; Acacia, medium; or Acacia, low. The variety to go into these particular groups will be selected at later date.

Acacia groups will be made up of selections from the following varieties and those introduced from time to time.

Block

		Acacia acinacea
23	400	Acacia d. mollissima
	"	" normalis
	"	" dealbata
	401	
	402	Acacia pravissima
	403	" armata
	404	" cultriformis
	405	" linearis
	406	
	407	Ac. Riceana
	408	Cytisus junceum nana
	409	" (Spartium junceum)
	410	Ac. saligna
	411	Ac. L
	412	L
	413	
	414	Ac. L
	415	L
	416	
		" aneura, Mulga
		" armata, Kangaroo Thorn
		" calamifolia, Broom Wattle
		" elata
		" elongata
		" extensa
		" longifolia, Sydney Golden Wattle
		" obliqua
		" maidenii
		" pendula, Weeping Myall
		" podalyrifolia
		" pravissima, Trapezoid-leaved Acacia
		" retinoides (floribunda)
		" tenuifolia
		" verticillata
		" arabica
		" brachybotrya
		" calamifolia
		" calamistrata
		" capensis
		" catechu
		" cavenia
		" citridora
		" coccinea
		" cultriformis
		" cuneata
		" cyanophylla
		" cyclops
		" dealbata
		" decurrens dealbata Silver Wattle
		" decurrens mollissa Black Wattle
		" " normalis Green W.
		" diffusa
		" discolor
		" dodonifolia
		" dolabiformis

Leguminosae (Cont'd)

417	T	Acacia eburnea
418	"	" Farnesiana, Perfume Wattle
	"	flexuosa
419	L	" fragrans
	"	" glauca (glaucesens)
420	M	" Gregii
	"	hispida Acacia saligna
421	"	homotophylla " trovissima
	"	horrida " suaveolens
422	"	implexa " sophorae
	"	lophanta
	"	montana
423	"	myrtifolia
	"	paradoxa
424	"	Persiana
	"	prominens
425	"	pycnantha
	"	pyramidalis
426	M	Riceana
	"	Reimerii
427	"	rubida
	"	semperflorens
428	"	
429		
430		
430-449	In abeyance	
450		
451	T	
452	T	
453	M	
454	Cassia group continued	
	Cassia tomentosa	Cassia marylandii
	" corymbosa	" sophera
	" splendida	" floribunda
	" artemisioides	
455	Srythrina crista-galli, Common Coral Tree	
456	Cornilla group	
457	" "	
458		

Block

459

460 *Ceratonia siliqua*

461 M

462 L

463 L

464 *Clianthus punicens*, Parrot's Beak

" *punicens alba*

465 " *dampieri*

466 Cassia Group

467

468 T

469 T

470

471 *Swansonia galegifolia* var. *albafolia*

472 *Clianthus* group

473

474 *Cercis canidensis*

" *chinensis*

" *siliquastrum*.

475

476

477

478 M

479

480 T

481 M

482 M

483

484 T

485 M

486 T

487 M

488

489

490

491

492

493

494

495 L

496

497

498 M

499

500

501

502 T

503

504

Block
26

Myrtle Family (MYRTALES)

641 Callistemon brachyandrum

642 " coccineum.

643 " hybrida

644 " lanceolata

- 645 Callistemon linearis
646 " rugulosis
647 " salignus
648 " species and new varieties

Additional varieties to be added to the Callistemon group to resemble in leaf form and habit the plants of the group to which it is attached.

- 649
650 Metrosideros amoena
651 " lophantha
652 " lugulosa.
653 " violacea
654 " robusta
655 " semperflorens
656 " tomentosa
657
658
659
(660)
661
662
663 Leptospermum flavescens
664
665
666 Leptospermum myrtifolium
" lanigerum
667 " scoparium nicholsii (scarlet)
668
669

- 670
671 *Leptospermum soparium*
672 " *bullatum*
673 *Melaleuca neosophala*
674 *Leptospermum laevigatum*.
" *ericifolium*
675
676 *Melaleuca decussata*
" *latifolia*
677
678 *Melaleuca leucadendron*
679 *Ulex europaeus*
680
681 *Melaleuca hypericifolia*
" *incana*
682 " *genistifolia*
683 " *ericifolia*
" *styphelioides*
684 " *wilsonii*

Leguminosae Groups continued from page 16

- 685 *Cytisus scoparius*
" " *andreaeana*
686 *Genista canariensis*
" *racemosa (fragrans)*
687 *Cytisus albus*
" " *pendula*
688 *Laburnum vulgare*, *Laburnum v. aurea*, *L.v. quercifolia*,
L alpinum
689 *Melaleuca acuminata*, *M. armillaris*, *M. Preisseana*

690 To include some *Albizzia julibrissin*.

691 *Genista* *candicans*.
" *proliferous*
" " *albus*
" *quercifolius*
" *purpurens*

692 *Cytisus* *arizonica*
" *bullatus*
" *californicus*
" *capitatus*
" *elaborata*
" *elongatus*
" *glabarata*

693. *Coronilla* *glaucha*
" " variegated
" *juncea*
" *emarginata*
" *viminalis*

694

695.

696.

697

698

699

39
700

701. *Spartium junceum*
 Genista racemosa (fragrans)
702. *Cytisus linearis*
 "
 nigrans
703. "
 hirsutus
 "
 sessilifolius
704. "
 spinosa
 "
 tinctoria
 "
 triflorius
 "
 scoparius andreana
705. *Laburnum "Golden Chain"*
 Lupinus arboreus
 Genista monosperm
706. *Sophora tetraptera*
707. *Genista group*
708. "
709. "

710

- Family ELAEAGNACEAE (Myrtales)
711. *Eleagnus pungens*
712. "
 pungens maculata
713. "
 "
 variegated aurea and argenta
714. *Tristania Conferta*

715. *Eleagnus angustifolia*
716. "
 hortensis
717. "
 longipes
718. "
 "

MYRTLE FAMILY (MYRTALES)

719 *Myrtus communis*

720 " *communis microphylla*
 " " " *variegated*

721 " " *flora plena*

722

723 *Eugenia myrtifolia*

724 *Psidium aromaticum*
 " *cattleyanum*

725 " *guajava*
 " *lucidum*

726 *Myrtus ugni*
 " *luma (Eugenia apiculata)*

727 *Eugenia jambos*

728

729

FAMILY THYMELAEACEAE (Myrtales)

730

731 *Daphne odorata* pink
 " " white

732 " *indica*
 " " *variegated*

733 " *genkwa*

734 *Pimelia rosea*

735 *Daphne laureola*

736 *Pimelia australis*

737 " *ligustrina*

738

739 *Feijoa sellowiana*

740

MYRTLE FAMILY (MYRTALES.)

741 *Eugenia Moorii*

" Michelli

742 " regni

743

744 *Eugenia latifolia*

745

746.

747.

748

749

750

POLEMONALES	Mint Order	Family
		Polemonaceae
	"	Hydrophyllaceae
	"	Verbenaceae
	"	Solanaceae
	"	Scrophulariaceae
	"	Bignoniaceae
	"	Acanthaceae
	"	Myoporaceae

760 Ichroma group

Ichroma fuchsoides
Iochroma speciosa
" *tubulosa*
" *coccinea*
" *lanceolata*.

761 Vines belonging to the Order Polemonales, (To be trained on the wall to the entrance gate and on the fence along the highway.)

Including those belonging to the species:

Bignonia
Solanum
Cobea
Tecoma

762 *Acanthus mollis*,(around entrance piers)

763. *Datura suaveolens*

764 " *sanguinea*
" *arborea*

765 to 768 *Cupressus sempervirens fastigiata* (to Conifers)

769 Ichroma group

770 Cestrum group

Cestrum elegans
" *fasciculatum*
" *laurifolium*
" *parque*
" *auranticum*
" *coccinea*
" *rosea*

771 *Solanum* group, bush forms (some not ornamental).

Solanum ariculare
" *capsicastrum*
" *crinitum*
" *gayanum*
" *glaucaphyllum*
" *Hendersonii*
" *heterophylla*
" *hoemitaearpum*
" *lascinatum*
" *heterophyllum*
" *lanceolatum*
" *macrocarpum*
" *Rantonetti*
" *robustum*
" *seaforthianum*
" *Wendlandii*
" *Weatherilli*

772 *Veronica* group

773 *Streptosolen jamesii* (if not too tender)

774 *Cantua buxifolia*

775 *Veronica* group

776 *Veronica* group, including:

Veronica buxifolia
" *decussata*
" *traversii*
" *Andersonii*
" " *variegated*
" " *imperialis* (*V. speciosa imperialis*)
" *salicifolia*
" *carnea*
" *elliptica*
" *speciosa*
" *arborea*
" *paniculata*
" *parviflora*
" " *alba*
" *repens*
" *reevesii*

Etc.

777 *Fabiana imbricata*

778 *Veronica* group

779 *Echium* group

780 *Myoporum laetum*
" *insulare*
" *lactum*
" *maculata*

781 Echium group

Echium argenteum
" *candicans*
" *lindleyana*
" *strictum*
" *fastuosum*

782 Cestrum group

783 *Veronica cupressoides*

784 *Nicotina glauca*, Tree Tobacco

785 Veronica group

786 Echium group with *Anchusa italica*

787 Cestrum group

788

789 *Durantia pluvialis*
" " *alba*
" " *variegata*, Golden dew drop

790 *Catalpa aurea*
" *bignonioides*
" *Kaempferi*
" *speciosa*

Pawlonia imperialis (*Paulonia imperialis*)

791 Echium group

792 Flowers: Under the order Polemoniales the flowers belonging to the respective families should be grouped in the foreground according to family. The better known ones are:

Penstamons
Antirrhinums
Calceolaria
Nemesia
Digitalis

793

794

795 Catalpa group.

796

797

798 Leonotis: leonurus

799

800

801 Lavender officinale

802 Rosemary

803 Salvia patens, Etc.

804

805

806

807

808

809

810

811

812

813

814

815

816

817

MALVALES

Fam. Elaeocarpacea

" Tiliaceae (see Forest group)

" Malvaceae

" Sterculiaceae

GERANIALES

Fam. Geraniaceae

" Rutaceae

" Meliaceae

Fam. Polygalaceae

Etc.

CALYCANULALES

Fam Compositae

820 *Diosma* group including

Diosma alba
" *capitata*
" *ericoides*
" *purpurea*
" *tenuifolia*

821 *Choisya ternata*

822

823 *Choisya ternata*

824

825 *Hibiscus* group: including

Hibiscus Californicus
" *crisplatanus*
" *mutabilis*
" *macrophylla*
" *Pungens*
" *Reevesii*
" *rosea*
" *splendens*
" *totius albus*
" *syriacus* (Althea, "Rose of Sharon")
in varieties: *ardens*
 Boule de Feu
 carnea plana
 Duchess de Brabant
 Jeane de Arc
 Elegantissima

826

827 *Malva* group including *Malvaviscus mollis*, "Turk's Cap"

828 *Albutilon* group

829 Albutilon group

Albutilon striatum, "Chinese Bellflower"
" megapotamicum

830 Hibuscus group

831 " "

832

833 Lavatera assurgentifolia "Tree Mallow"

834 Senecio Group including Senecio petasitis
" cineraria candidissima

835 Rudbeckia laciniata

Cinerarias

Althaea rosea "Hollyhock"

836 Lagunaria Pattersonii and Fremontia californica

New mixed yellow varieties are
very ornamental and long bloom-
ing.

837 Polygala dalmaisana (P. dalmatiana)

" apopelata

" alternata

" bracypoides

838 "

839 to 848

Olearia group including all recently introduced species

Olearia fosteri

40 other species

CONIFERS

850 to 874.

Chamaecyparis Group

Chamaecyparis ericoides
" decussata
" Lawsoniana
" " argentea
" " drummondii
" " glauca
" " erecta viridis
" " " glauca
" " lutea
" " lycopodeae
" " pendula
" squarrosa veitchii.
" " triumph de Booskop
" nutkaensis
" abtusa
" alba picta
" compacta
" plumosa
" " alba picta
" " argenta
" " aurea
" variegated
" obroviensis
" pisifera
" " argenta variegata
" " aurea
" lutea

875 to 880

Araucaria group

Araucaria Bidwellii
" imbricata
" brasiliensis
" excelsa
" Cookii

CAMpanulales

Fam. Compositae

820 *Diosma* group including

Diosma alba
" *capitata*
" *ericoides*
" *purpurea*
" *tenuifolia*

821 *Choisya ternata*

822

823 *Choisya ternata*

824

825 *Hibiscus* group:: including

Hibiscus Californicus
" *crisplatanus*
" *mutabilis*
" *macrophylla*
" *Pungens*
" *Reevesii*
" *rosea*
" *splendens*
" *totus albus*
" *syriacus* (Althea, "Rose of Sharon")
in varieties:: *ardens*
" *Boule de Feu*
" *carnea plana*
" *Duchess de Brabant*
" *Jeane de Arc*
" *Elegantissima*

826

827 *Malva* group including *Malvaviscus mollis*, "Turk's Cap"

828 *Albutilon* group

885 to 890

Abies group

Abies amabilis
" balsamea
" bracteata
" cephalonica
" concolor
" firma
" Fremontii
" grandis
" lasiocarpus
" magnifica
" nobilis
" Nordmanniana
" pectinata
" pinsapo

Abies pumila
" pinsapo
" subalpina
" veitchii
" barborensis
" picea
" cilicica
" mertensiana
" laciocarpus
" noblis glauca
" venusta

Etc., etc.

891

892

893 Agathis australis

894

895 to 900 Pine Group

Pinus albicaulis
" austraica
" Banksiana
" canariensis
" cembra
" cembroides
" patula
" contorta
" Coulterii
" densiflora
" edulis
" excelsa
" halpensis
" Hameltonii
" inopis
" Jefferyi
" koraiensis
" Lambertiana
" laricio
" longifolia
" Masoniana
" mitis
" monophylla
" montezuma
" monticola
" mugnus

Pinus muricata
" Marreyana
" Parryiana
" parviflora
" pinaster (maritima)
" pinea
" ponderosa
" radiata (insignis)
" rubra
" sabiana
" strobuss
" sylvestris
" Torreyana
" turbulata
" taeda
" nigra
" " austriaca
" montana

Etc., etc.

901
902
903
904
905
906
907
908
909
910 to 915 Pinus Group
916
917
918
919
920 to 926 Picea Group

Picea alba
" Alcockiana
" columbiana
" Engelmannii
" excelsa
" aurea
" macrosperma
" nana
" alba pumillia glauca
" pendula
" pyramidalis
" Jesoensis
" menziesii
" nigra
" " Doumetti
" polita
" pungens
" " glauca
" " Kesteriana
" Smitheana
" orientalis
" sitchensis
" caerulea Etc.

930	Pseudotsuga Douglassii	Larix	europea
"	" glauca	"	occidentalis
"	" pendula	Tsuga	canadensis
Larix leptolepis	taxifolia	"	carolinianum
" decidua		"	Hookeriana
		"	Mertensiana
		"	Pattoniana

935 to 950 Pinus Group

955 to 975 Cypress group

Cupressus arizonica	Cupressus macrocarpa
" Braziliensis	" aurea
" chinensis	" variegated
" funebris	" pyramidalis
" Goveniana	" sempervirens
" Guadeloupensis	" fastigiata
" " glauca	" torulosa
" lusitanica	" Glabra
" Knightanica	
" McNabiana	Etc.

980 to 985 Thuya Group (large)

This group is to be devoted to the Thuyas of the taller growing types which would be out of scale in group Number 1060.

In this same group may be planted Cryptomeria japonica, and Cunninghamia sinensis.

986.

987

988

989

990

991

992

993

994.

995 *Torreya californica*
" *nucifera*
Podocarpus totara
" *japonica*
" *ferrugineus*
" *spinulosa*

Cephalotaxus Fortunei

996

997

998

999

Conifers (Continued)

1000 *Taxus baccata fastigiata* (front of tomb)
" " " *aurea* (rear of tomb)

1001 See

1002 to 1020 Includes the Junipers. They must be kept together in the beds allotted to them and planted sufficient distance apart to allow full mature growth. The dwarf varieties to be planted along the edges of the beds as an edging to the walks, the taller and more spreading varieties to occupy the interior of the beds.

This is true with the groupings in the other conifer beds.

Among those to be planted are:

Juniperus Bermudiana
" *chinensis*
" " *alba variegata*
" " *aurea*
" " " *pendula*
" " *japonica*
" *communis*
" *chinensis procumbens*
" " *prostrata*

Juniperus communis *cracovia*
" " *hibernica*
" " *suecica*
" " *compacta*
" *cypresiformis*
" *drupacea*
" *linearis*
" *platieriana*
" *occidentalis*
" *recurva squamata*
" *rigida*
" *sphaerica*
" *sabina*
" *virginiana*
" " *elegans*
" " *glaucia*
" " *pendula*
" " *tripartita*
" *Pfitzeriana*
" *venustas*
" *tamaricifolia*
" *excelsa*
" " *stricta*
" *chinensis fortunii*

Etc. Etc.

1030 *Cryptomeria* Group including:

Cryptomeria elegans
" *japonica*
" *araucarioides*

1040 *Juniper* Group

1050

1060 *Thuya* and *Thuyopsis* Group to extend across road and East
to *Cupressus* Group

To include:

Thuya gigantea
" " *aurea*
" *Craigiana*
" *occidentalis* and *o. plicata*

Thuya orientalis

" " aurea
" " filiformia.
" " pendula
" " Sieboldii.
" tartarica
" occidentalis rosenthalii
" " globosa
" " wareana
" orientalis aurea nana.
" " " conspicua
" " semperaurea
" " compacta.
" lycopodioides
" Rostedale
" magnifica
" " aurea

Etc. Etc.

Taxyoposis dolabrata

" " variegated

1070

1080 *Taxus* and *Torreya*

Including:

Taxus baccata

" " adpressa
" " stricta
" " argenta
" " cheshuntensis
" " devastoni
" " pendula
" " variegated
" " elegantissima aurea
" " ericoides
" " fastigiata "Irish Yew"
" " aurea "Golden Irish Yew"
" " aurea
" " nana
" " variegata
" " fructa lutea
" " glauca
" " imperialis
" " pendula gracilis
" " pyramidalis
" " tardiva
" " " aurea.

Taxus Group (continued)

Taxus baccata Washintonii
" brevifolia
" canidensis
" cuspidata
" baccata erecta
" " aurea Etc., etc.
Torrya californica
" nucifera

1090 Retinospora group

RUBIALES Campanula Order. Family Caprifoliaceae
" Compositae

1157 Viburnum group

1158

1159 Viburnum group including:

Viburnum tinus
" " lucidum (grandiflora)
" " strictum
" sandankwa (V. ellipticum)
" odoratissimum

1160 Symphoricarpos racemosus "Snowberry" Red and White

1161 " vulgare

1162

1163 Viburnum opulus sterile

1164 Viburnum tinus grandiflora (Laurustinus grandiflora)

1165 Lonicera (vines for ground cover)

Lonicera japonica aureo-reticulata, flowers orange scarlet
" " chinensis, purple and white
" " halliana, white and yellow
" " ruprechtiana
" tartarica, Tartarian Honeysuckle

1166. *Abelia grandiflora* (*A. rupestris*)

1167.

1168. *Abelia* group

1169.

1170. *Lonicera morrowi*

" *involucrata*

1171

1172. *Lonicera nitida*

1173. *Diervilla* group (*Weigelia*)

1174. *Viburnum* group including

Viburnum lantanum

" *opulus*

" *tinus* variegated

1175. *Diervilla* group

1176. *Viburnum* group

1177.

1178

1179

1180 to 1199. In abeyance.

1200 *Sambucus canidensis*, Common Elder

1201 *Diervilla* group including:

Diervilla alba

" *rosea*

" " variegated "

" *Othello*

" *rubra*

" *speciosa*

" *venosa* var.

" *abel carriere* (rosy carmine)

Diervilla hybrida variegata

" *hendersonii*

" *floridus rosea*

" *Eva Rathke* (very good)

" *la vellei* red)

" *van houttii*

- 1202
1203
1204. *Sambucus argenetus*
 " *nigra*
 " " *aurea*
 " *racemosa*
 " " *purpurea*
 " " *laciniata*
1205
1206
1207
1208
1209
1209
1210
1211. *Sambucus* group
1212

RUBIALES The Coffee Order Family Rubiaceae

1213. *Coprosma robusta*
1214.
1215.
1216 *Coprosma baueri picturata*
1217 "
1218
1219. *Coprosma baueri*
 " " variegated
1220 *Rondeletia cordata*
 " *humboldtii*
1221 *Coprosma baueri* variegated

HEATH ORDER

- 1230 *Arbutus menziesii*
- 1231 *Arctostaphylos glauca*
" *pungens*
" *tomentosa*
" *manzanita*
" *dwarf native var.*
- 1232 *Erica group*
- 1233 *Arctostaphylos* in variety
- 1234
- 1235
- 1236
- 1237
- 1238
- 1239
- 1240
- 1241
- 1242 *Andromeda japonica*
" var.
- 1243 *Erica group*
- 1244 *Kalmia latifolia*)
" *glauca*) group of 20 plants
- 1245
- 1246
- 1247
- 1248 *Erica group*
- 1249
- 1250 *Rhododendron group*

1251 Azalea group, in variety:
1252

Azalea calendulacea

"	indica	Azalea indica lediflora
"	akebono	" " Jucantheum
"	amuraski	" linearifolium
"	" rinkin	" matsurchima
"	arinkinshibori	" mollis
"	azama shibori	" occidentalis
"	bijimot	" sarasa shibori
"	macranthum	" serpyrillifolium
"	" sekederii	" schillipenbachi
"	janimonoyuki	" sinensis
"	japonica	" " hirengei
"	jebotan	" sublanceolatum

1253 Rhododendron group

1254 " "

1255 "

1256 "

1257 "

1258 "

1259 Rhododendrons in variety

Rhododendron albicans

"	Andersoni
"	athens
"	arboratum
"	aurora
"	barbatum
"	blandfordiaeeflorum
"	boule de niege
"	californicum
"	calophyllum
"	caractacus
"	catawbiense
"	" grandiflorum
"	Charles Dickens
"	Chevalier Felix de Sauvage
"	Compte de Jorner
"	Countess of Clancarthy
"	carajia
"	Countess of Sefton
"	Duchess of Connaught
"	Duchess of Edinburgh
"	" " Teck

Rhododendrons in variety continued

Rhododendron emblem
everestianum
Falconeri
fragrantissimo
fulgens
Minnie
Mrs. Fitzgerald
Mrs. John Clutton
nirens
neviam
nilagericum
nobleanum
Onslorianum
Parson's gloriosum
Prince Albert
Camille de Rohan
Prince Eugene
Princess Alexandria
Queen of Dwarfs
Rosaline
roseum norum
ruginosum
sabinian
Schiller
Sir H. Havelock
skidera
sultana
skirsmimyo
The Maroon
The Queen
tnibanbenso
Thompsonii
Wrightii
glaucum
grandifl
grenadier
habbanum bicolor
Harry Bartram
heimilicum
Helen waterer
Hoggsoni
Imperatrice Eugenie
Jenkinsii
John Water
John Waterer
J. M. Brooks
Kate Waterer

Rhododendrons in variety continued

Rhododendron ledifolium
" leucanthemum
" leonidas
" limbatum
" Mdm. Carvalho
" " Masson
" " Rosenthal
" " Wagner
" " Walter
" maximum
" magnificum
" Metternichtii
" Michael Waterer
" William Austin
" William Gladstone
" zealandicum

1260 Vaccinium ovatum. "Huckleberry"

1261 Rhododendron group

1262 Gaultheria shallons "Salal"

1263

1264

1265 Erica group

1266 " "

1267 Ericas in variety ranged according to colors and habitats of growth. i.e. dwarf in front.

Erica arborea
" blanda
" australis
" regimirens ovata
" gauermanii
" hyalina
" hyemalis
" lewesii
" mediterranea
" multiflora grandiflora
" persoluta alba
" " rosea

Erica group in variety continued

" lusitanica
" codenoides veitchii
" purpurea
" triumphens
" vagans alba
" " major
" " minor
" vilmoreana
" Pres. Carnot
" Melanthra
" " deep rose
" vulgaris
use all new and recent varieties not subject to frost
in this locality. Tender ones may be planted on the
hill by President's house.

1268

1269

1270

1271

1272

1273

1274 Erica group

1275 "

1276

1277 Nandina group

1278

1279

RANALES The Buttercup Order. Fam. Berberidaceae
" Magnoliaceae
" Calycanthaceae
" Annonaceae
" Lauraceae

1277 Nandina group including:

Nandinia domestica and all its forms of variation in leaf form and growth characteristics.

1278

1279

1280 Group including some of the more ornamental trees (deciduous and evergreen) of the Family Magnoliaceae:

Magnolia acuminata
" *conspicua*
" *glauca*
" *hypoleuca*
" *kobus*
" *La Gallisoniere*
" *Mantais*
" *obovata purpurea*
" *oxoniensis*

1281 Nandina group

1282 *Magnolia fuscata* (*Michelia fuscata*, Banana Shrub)

1283 Nandina group

1284

1285 Mahonia group

1286 Mahonia group including *Mahonia japonica*
Mahonia aquifolia

1287

1288

1289

- 1290 *Umbellularia californica*
Anona cherimolia
" triloba
- 1291
- 1292
- 1293
- 1294 *Berberis darwinii*
- 1295 " "
- 1296 " *wilsonii*
- 1297 " "
- 1298
- 1299
- 1300
- 1301 *Berberis trifoliata*
- 1302 " *vulgaris purpurea*
- 1303 " *Thunbergii*
- 1304 " *capitatos*
" *dulcis*
" *Fremontii*
" *interrinum*
- 1305 *Camphora officinalis*
- 1306 *Berberis japonica*.
" " *Beali*
" " *intermedia*
- 1307 *Calycanthus occidentalis*
" (native)
- 1308 *Berberis nervosa*
" *nepalensis*
- 1309 *Berberis stenophylla*
" *trifoliata*
- 1310 *Berberis wallichiana*

1311. Berberis (deciduous dwarf)
1312 Sassafras
1313
1314
1315 Laurus noblis, pyramidal forms (clipped)
1316 Berberis dwarf
1317 Berberis darwinii
1318
1319
1320 Magnolia grandiflora
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330 Deciduous magnolia group and Liriodendron tulipifera.
1331
1332
1333
1334
1335
1336

1337

1338

1339

1340

1341

1342

1343

1344

1345

1346

1347

1348

1349

1350

PARIETALES. Rockrose Order. Fam. Theaceae
" Hypericaceae
" Tamaricaceae
" Fouquieraceae
" Cistaceae

1300 *Cistus ladaniferous maculatus*

1301 to 1349 belongs to Ranales Order

1350 *Cistus salvifolia*

1351 Belongs to Ranales Order (*Magnolia grandiflora*)

1352 *cistus group*

1353 *Camellia group*

- 1354 *Camellia japonica*
" *sasanqua*
" *sasanqua*
" *theifera*.
- 1355 Cistus group
- 1356
- 1357 Cistus group ... including:
- 1358
- 1359 *Camellia* Etc. etc.
- 1360 Ranales
- 1361 *Hypericum moserianum*
- 1362 *Hypericum calycinum*
- 1363 *Hypericum alatum*
- 1364
- 1365
- 1366
- 1367
- 1368
- 1369
- 1370 Cistus group
- 1371 *Hypericum canariensis*
- 1372 " *floribundum*
- 1373 " *chinensis*
- 1374
- 1375
- 1376
- 1377
- 1378 *Hypericum patulum*
- Cistus *laurifolia*
" *salvifolia*
" *crispus*
" *monspeliensis*
" *albidus*
" *aurantica*
" *major*
" *rosea*.

- 1379
1380 Hypericum gross.
1381 " "
1382 " "
1383
1384
1385
1386
1387
1388
1389
1390
1391 Tamarix plumosa
1392 " gallica
1393 " hispida
1394 " odessana
1395 " parviflora
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405

1406

1407

GENTIANAL ORDER (Gentianales)

1500 Buddlia globosa (incl. dwarf)

1501 Nerium alba plenum

" madonna grandiflora

" splendens

" oleander Named Varieties including:

Claud Blanc	Mad. Sarah Bernhardt
Double Pink	Mrs. F. Roeding
Dr. Golfin	Mrs. Chas. Baltet
Henry Mares	Narkin (variegated)
laurifolium	Notaire Cavalliere
Mad. Peyre	Prof. Martin
Sister Agnes	Purpureum
Splendens Giganteum	Single White
Pierre Roudier	Etc.

1502 Oleander group

1503 Buddlia variabilis veitchii

" " Madagascariensis

" magnifica

" Lindlyeana

" all new named varieties

1504 "

1505 "

1506 "

1507

1508

1509

1510 Olea aquifolia

" europea (including all named commercial varieties)

" fragrans

" picolina

" sativa

" splendens

1511

1512

1513 to 1539 Include plants for Medicinal plant Garden.

1557 Phillyrae group

1558 Same as number 1563

1559 Osmanthus group and phillyrea group

This group also includes the vines that belong to the Oleaceae. These vines are to be trained on the sides and rear of the museum building on neat trellises and include:

Jasminum grandiflora Catalonian Jasmine
" *humile* Italian Jasmine
" *officinale*
" *primulinum*
" *azoricum* (fragrant)
" *trachelosperum*, Star Jasmine
" *paniculata*
" *mudiflorum*, Yellow Jasmine
" *gracillium*
" *floridum*
" *alba*
" *aurea*
" *capensis*
" Sambac

Vines belonging to Asclepiadaceae

Hoya carnosa, Red, Pink, and White. Plant in a sheltered spot.

Vines belonging to Apocynaceae:

Mandevilla suaveolens, Chilean Jasmine

Trachelospermum jasminoides (Sometimes listed as Jasmine)

Phillyrae Group (to be planted next to building)

Phillyrae *angustifolia*
" *ilicifolia*
" *latifolia*
" *media*

1560A Ligustrum group

Ligustrum Californiaeum

- " coriaceum (very fine for foreground shrubbery)
- " lucidum
- " japonicum and j. variegatum
- " ovalifolium
- " ciliatum
- " ibota
- " linearis
- " lucidum variegated
- " siensis
- " nepalensis
- " ovalifolium aurea marginata
- " " albo "
- " henryii
- " jasminoides
- " reevesi

1540 Acokanthera spectabilis, Wintersweet

1541

1542 Chionanthus virginiana, White Fringe

1543

1544 Carissa edulis

1545 Thevetia nerifolia (or put this in Nerum group)

1546 Carissa grandiflora.

1547 Same as 1565

1548 Syringa group

1549 " "

1550 " "

1551. " " Including Syringa vulgaris and all grafted
and named varieties:

Syringa Bertha Darwin

- " Countess of Paris
- " Fleur d' Orange
- " gigantea
- " japonica
- " Lemoine flora plena
- " Michael Buchner
- " persica

Syringa vulgaris rubra

- " alba grandiflora
- " Belle de Nancy
- " Charles Joly
- " Chas the Tenth
- " Chinensis scugeana
- " Compt de Paris
- " De Croncels

Syringa group (continued)

	Syringa Remunc's	Syringa Fr. Bertha Dammann
	" Reitenbachii	" Gloire de Lorraine
	" Rubella Jlена	" des Loulans
	" rubrus insignis	Ludwig Spaeth
	" Philemon	Mad. Able Chatney
	" Pres Grevy	" Casimir-Perier
	" " Massart	Marie le Greyea
	" vulgaris alba	Persian cut leafed
		(olive
1552	Osmanthus ilicifolia	Osmanthus aquifolia, Holly Leafed
	" variegated	" variegated
	" latifolia	
	" ligustifolia	
	" fragrans	
1554	Forsythia suspensa	
	" viridissima	
	" fortunei	
1555	"	
1556	"	

-- (Buxaceae
Anacardiaceae
The Soapberry Order, SAPINDALES (Araliaceae
(Celastraceae
(Staphyleaceae Aceraceae
Aesculaceae
Sapindaceae

1560B Euonymous Group (to balance Privet group)

	Euonymus europeus
	" fimbriatus
	" japonicus
	" " argenta var.
	" " marginatus
	" " alba
	" " aurea marginata
	" " latifolius albus
	" " " aureus
	" " Duc de Anjou
	" pulchellus
	" radicans (use in front of group)
	" " variegated

1561 Buxus group.. This group is also represented by the Art Gallery planting.

Buxus altissima
" argentia
" " var.
" chrysophylla
" coracea
" esculenta
" lucida
" myrtifolia
" rotundifolia
" salicifolia
" sempervirens
" " aurea
" " suffruticose
" elegans variegated
" handworthii
" " arborescens
" robusta
" " variegated
" japonica
" " angustifolia

1562 Buxus group continued

1563 Ilex group

Ilex aquifolia, English holly	Ilex integrifolia
" alba picta	" " var.
" aquifolia argentea	" latifolia
" " " medio picta	" japonica
" " aurea picta latifolia	" marginata
" ferox	" robusta Sieboldii
" " " argentea	" Quercifolia, American Holly
" frutulifera	" aquifolia serratifolia aurea
" Hendersonii	
" tortuosa	
" aurea flammula	
" cornuta	
" cuneata	

1564 Celastris scandens
" articulatus

1565 Ilex group

1566

1567

1568

1569

- 1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580 Buxus group
1581 Ilex group
1582 Buxus group
1583 Dodonaea cuneata
" viscosa
" trigonella
1584 Rhus group
1585 Maytenus boaria
" chilensis
1586 Rhus group
Rhus cotinus Rhus glabra Rhus laurina, Sumac
" copallina " lacinata " ovata, Sugar bush
" coriaria " vernicifera
" diversiloba toxicodendron, Poison Oak
" sylvestris integrifolia, Sour Berry
1587 Rhus group
1588 Pistacia chinensis, P. terebinthus, P. vera
1589
1590 Schinus molle, Pepper tree
" terebinthifolius, Brazilian Pepper tree
" longifolium